

BRAIDED INSULATING SLEEVINGS

SPECIAL SLEEVINGS AND OVEN SEALS

SILIGAINÉ® 33NH0

-55 °C to +240 °C

EXPANDABLE BRAIDED SLEEVING FOR THIN WALL
IN META-ARAMID FIBRES,
WITH WATER AND OIL REPELLENT TREATMENT



Standards*

- EN 6049-003.

Applications

- Protection of wiring harnesses, or any other duct subject to aggressive environments (abrasion, fire, high temperatures, miscellaneous projections, etc.), especially on aircraft.

Options

- Other diameters: contact us.
- Sleeveings cut to length: contact us.

Packaging

- Diameters from 2 to 15 mm: 50 m rolls.
- Diameters from 20 to 30 mm: 25 m rolls.

Characteristics

General

- Continuous operating temperature: -55 °C to +240 °C.
- Excellent resistance to thermal shock.
- Unmeltable under high temperature.
- Self-extinguishing.
- Good resistance to fluids (hydrocarbons, solvents, antifreeze, etc.).
- Excellent resistance to radiations (γ rays, X-rays).
- Very good mechanical strength and resistance to abrasion.
- Good flexibility.
- Expandable sleeving for easy threading and wide use range.
- Water and oil repellent treatment.
- Frays slightly when cut.

Chemical

- Product guaranteed asbestos free.

Standard products

- Colour: ivory white (natural).

INTERNAL DIAMETER**			33NH0
Nominal value (mm)	Minimum (mm)	Maximum (mm)	Approximate linear weight (kg/km)
2	1	2	2.7
4	2	4	4.0
6	4	8	6.0
8	6	12	10.0
10	8	16	11.0
15	10	20	17.0
20	12	24	22.0
25	15	30	32.5
30	20	40	38.0

*Standards: our products comply with all or part of the requirements of standards quoted; contact us.

** As these sleeveings are expandable, the internal diameters indicated correspond to a recommended operating range.

For this product, please contact:

OMERIN division principale ✓

Zone Industrielle - F 63600 Ambert
Tel. +33 (0)4 73 82 50 00 - Fax +33 (0)4 73 82 50 10
omerin@omerin.com

OMERIN division silişol □

BP 87 - ZI du Devey - F 42000 Saint-Étienne
Tel. +33 (0)4 77 81 36 00 - Fax +33 (0)4 77 81 37 00
silişol@omerin.com

omerin
LES CABLES DE L'EXTREME

www.omerin.com

® Registered trademark of the OMERIN Group. All information is indicative and may be modified without prior notice. Drawings and photos are not contractual. Reproduction is prohibited without the prior agreement of OMERIN.